

Figure 18a






Figure 18b


Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference



Comparison of 2007 Strategy Run 10 and 11
Effect of non-util control(96basv1)



Comparison of 2007 Strategy Run 10 and 11
Effect of non-util control(96basv1)




Comparison of 2007 Strategy Run 10 and 11
Effect of non-util control(96basv1)



8c


Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control




Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control




Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control




Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control



Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control



Ozone Difference Plot

UAMV 07sr10_96basv1-07sr9_96basv1 Grid-M 12km
Effect of Non-Utility Control




Figure 18d








Figure 18e




Figure 18f




Figure 19a






Figure 19b


Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference



Comparison of 2007 Strategy Run 12 and 8
SIP call vs 25, non-util control (96basv1)



Comparison of 2007 Strategy Run 12 and 8
SIP call vs 25, non-util control (96basv1)



Comparison of 2007 Strategy Run 12 and 8
SIP call vs 25, non-util control (96basv1)




Figure 19c









Figure 19d








Figure 19e




Figure 19f




Figure 20a




Figure 20b






Figure 20c


Daily Peak 1-Hour Ozone




Daily Peak 1-Hour Ozone




Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone






Figure 20d


Daily Peak 1-Hour Ozone




Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone



Daily Peak 1-Hour Ozone




Figure 21a






Figure 21b


Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference




Peak 1-Hour Ozone Difference



Comparison of 2007 Strategy Run 8a and 8
Effect of 25 util in IA (96basv1)



Comparison of 2007 Strategy Run 8a and 8
Effect of 25 util in IA (96basv1)



Comparison of 2007 Strategy Run 8a and 8
Effect of 25 util in IA (96basv1)



Figure 21c




Figure 21d









Figure 21e


Max 1-Hour Ozone Difference




Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference






Figure 21f

Max 1-Hour Ozone Difference




Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference



Max 1-Hour Ozone Difference

